

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services - Irrigation & CAD Department - Irregularities relating to execution of works in JCR-GLIP Phase-II, Stage-I – Sri D. Sambaiah, I/c Executive Engineer – Regularization of suspension period as “Not duty”- Orders - Issued

=====

IRRIGATION & CAD (SER.X.2) DEPARTMENT

G.O.Rt.No. 1351

Dated:28-10-2010.
Read the following:-

1. G.O.Rt.No.1149, I&CAD (Ser.X) Dept., dated 11-8-2005
2. G.O.Rt.No.1440, I &CAD (Ser.X) Dept., Dated:30-10-2006
3. Govt. Memo.No.22791/Ser.X.1/2006-1, dt. 2.12.2009
4. From Sri D.Sambaiah, formerly I/c Executive Engineer, and CE Modernization Representation dt. 6.10.2010

&&&

ORDER

In the G.O.1st read above, orders were issued placing Sri D. Sambaiah, I/c Executive Engineer, under suspension on the reported irregularities committed in execution of works in JCR-GLIP Phase-II, Stage-I, Warangal District, among others.

2. In the reference 2nd read above, Sri D.Sambaiah, I/c Executive Engineer was reinstated into service without prejudice to the disciplinary proceedings pending against him.

3. In the reference 3rd read above, the Engineer-in-Chief (Admn.Wing), Irrigation & CAD Department, Hyderabad was directed to furnish the draft Articles of Charges against Sri D.Sambaiah, formerly I/c. Executive Engineer and other engineering official to be issued against them.

4. In the reference 4th read above, Sri D. Sambaiah, Chief Engineer, Modernization has stated that after reinstatement, he has been posted as I/c. EE, Special Designs division.2 Hyderabad. Subsequently, he has been promoted as I/c Superintending Engineer and posted to AMRP Circle No.1, G.V. Gudem, Nalgonda, and also promoted as I/c. Chief Engineer, Modernization Hyderabad. But, his service has not regularized so far since 4 years, and no charges were framed against him. Due to non-regularization of the suspension period, annual increments are held up since 4 years and the recent PRC also not effected for pay fixation. Therefore he has requested to consider his case and regularize the suspension period from 11.08.2006 to 19.01. 2007.

5. Government after careful examination of the representation of Sri D. Sambaiah, CE Modernization, Hyderabad, it was decided to regularize the period of suspension from 11.08.2006 to 19.01.2007 as “Not duty” in the first instance for the purpose of sanction of his annual grade increments and fixation of pay as per PRC’ recommendation. Accordingly, Government hereby order to regularize the suspension period of Sri D.Sambaiah, Chief Engineer , Modernization w.e.f. 11.8.2006 to 19.1.2007, as “ Not duty”, for the purpose of sanction of his annual grade increments and fixation of pay as per P.R.C. recommendations.

The Engineer-In-Chief (Admn.Wing),I & CAD Department, Hyderabad is requested to take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri D.Sambaiah, Chief Engineer,
Modernization Hyderabad through
the Engineer-in-Chief (AW), Hyderabad.
The Engineer-in-Chief (AW), Hyderabad.
SF/SC.

//FORWARDED: : BY ORDER//

SECTION OFFICER